Contents

Preface v

1. THERMODYNAMIC ASPECTS OF METASTABLE ALLOYS

On the composition range of amorphous binary transition metal alloys* 1
G. J. van der Kolk, A. R. Miedema and A. K. Niessen (Eindhoven, The Netherlands)

Application of the CALPHAD method for the prediction of amorphous phase formation 19
R. Bormann, F. Gärtner and K. Zöltzer (Göttingen-Clausthal, F.R.G.)

An analysis of volume effects in metallic glass formation. 31
L. Battezzati and M. Baricco (Torino, Italy)

Enhanced equilibrium concentration of donors in antimony-, arsenic- or phosphorus-doped silicon on sapphire 39
R. Angelucci, A. Armigliato, E. Landi, D. Nobili and S. Solmi (Bologna, Italy) and B. Margesin (Povo, Italy)

Metastability of Fe–34at.%Ni invar alloys above 600 °C 47
A. Wiedenmann, W. Wagner and H. Wollenberger (Berlin, F.R.G.)

Simplified statistical model for competitive segregation kinetics — application to the Fe–6at.%Si alloy surface 55
M. F. Boudjemaa and A. Mosser (Strasbourg, France)

2. CRYSTAL TO GLASS TRANSITION

Mechanisms of instability in crystalline alloys with respect to vitrification* 63
W. L. Johnson and H. J. Fecht (Pasadena, CA, U.S.A.)

The process of spontaneous vitrification evaluated by calorimetry 81
A. Blatter, N. Koch and U. Kambli (Berne, Switzerland)

Amorphization mechanisms in ion implanted metal films and single crystals 89
A. Seidel, G. Linker and O. Meyer (Karlsruhe, F.R.G.)

Comparison of sputtered, solid-state-reacted and melt-spun Zr–Fe alloys 97
H. U. Krebs (Göttingen, F.R.G.)

Amorphization reactions in niobium-based alloys 105
J. Gfeller, A. Blatter and U. Kambli (Berne, Switzerland)

Solid state amorphization reaction of Ni–Zr multilayers after irradiation with 30 MeV sulphur ions at low temperature 115
A. Thomä, H. Adrian and G. Saemann-Ischenko (Erlangen, F.R.G.)

Structural state of multilayers studied by X-ray absorption spectroscopy 123
C. Brouder, G. Krill, P. Guilmin and G. Marchal (Vandoeuvre-les-Nancy, France), W. Felsch (Göttingen, F.R.G.), E. Dartyge, A. Fontaine and G. Tourillon (Orsay, France)

*Invited paper.

© Elsevier Sequoia/Printed in The Netherlands

3. UNDERCOOLING OF LIQUIDS

Thermodynamics of undercooled liquids* 131
A. L. Greer (Cambridge, U.K.)

Glass formation by containerless solidification of metallic droplets in drop tube experiments 145
F. Gillessen, D. M. Herlach and B. Feuerbacher (Koln, F.R.G.)

Thermodynamic and kinetic aspects of crystallization of supercooled Ag–Cu liquids 153
B. Jönsson and J. Ågren (Stockholm, Sweden)

Factors influencing heterogeneous nucleation in an Ni–Si–B glass. 167
M. H. Zuercher and D. G. Morris (Neuchâtel, Switzerland)

Laser quenching of Si–As alloy 175
P. Baeri, G. Foti, R. Reitano and C. Spinella (Catania, Italy)

A metastable NiSi phase epitaxially grown on ⟨111⟩ silicon by pulsed laser quenching
P. Baeri, M. G. Grimaldi, F. Priolo and E. Rimini (Catania, Italy), A. G. Cullis and N. G. Chew (Malvern, U.K.)

Desorption of argon from amorphous $Cu_{60}Zr_{40}$ films during crystallization 189
K. R. Bijkerk and A. van Veen (Delft, The Netherlands), G. J. van der Kolk and T. Minemura (Eindhoven, The Netherlands)

Influence of the annealing atmosphere on the chemical and thermal stability of amorphous WSi_2 197
A. Deneuville, M. Benyahya and M. Brunel (Grenoble, France) and B. Canut (Villeurbanne, France)

Metastable phase formation with dendrite growth during laser-induced rapid solidification of $Al_{59}Ge_{41}$ sputtered thin films 209
F. Catalina, C. N. Afonso and E. Rollan (Madrid, Spain) and C. Ortiz (San Jose, CA, U.S.A.)

Thermal stability of amorphous Ta–Ir between Y–Ba–Cu–O and silicon 217
R. de Reus and F. W. Saris (Amsterdam, The Netherlands) and T. S. Baller (Eindhoven, The Netherlands)

Dynamical properties of high pressure quenched F.C.C. Al–Si solid solutions 223
J. Chevrier, J. C. Lasjaunias, F. Zougmoré and J. J. Capponi (Grenoble, France) and J. B. Suck (Karlsruhe, F.R.G.)

4. MECHANICAL ALLOYING

Glass formation by mechanical alloying* 233
L. Schultz (Erlangen, F.R.G.)

Ball milling amorphization mechanism of Ni–Zr alloys 251
E. Gaffet, N. Merk, G. Martin and J. Bigot (Vitry sur Seine, France)

Solid state reactions in the Cu–Zn system induced by plastic deformation at room temperature 261
S. Martelli, G. Mazzone, M. Vittori and S. Scaglione (Rome, Italy)

Investigation on the amorphization of Zr–Pd alloys by ball milling 271
P. I. Loeff, F. H. M. Spit and H. Bakker (Amsterdam, The Netherlands)

Mechanical alloying, interdiffusion and compaction of nickel and titanium powders 277
D. G. Morris and M. A. Morris (Neuchâtel, Switzerland)

---

*Invited paper.

Glass-forming ranges in transition metal–Zr alloys prepared by mechanical alloying 283
J. Eckert and L. Schultz (Erlangen, F.R.G.) and K. Urban (Jülich, F.R.G.)

Glass-forming range of transition metal–transition metal alloys prepared by mechanical alloying 293
A. W. Weeber, P. I. Loeff and H. Bakker (Amsterdam, The Netherlands)

Formation and crystallization of amorphous Ni–Ti powders prepared by mechanical alloying 301
L. Battezzati (Torino, Italy), S. Enzo (Venezia, Italy), L. Schiffini and G. Cocco (Sassari, Italy)

5. TOPOLOGICAL INSTABILITY — RELAXATION AND DIFFUSION

Topological instability of metallic lattices and glass formation* 309
J.-M. Dubois (Nancy, France)

Structural relaxation in metallic glasses* 327
J. O. Ström-Olsen, R. Brüning, Z. Altounian and D. H. Ryan (Montreal, Quebec, Canada)

Structural relaxation in some amorphous alloys. 339
G. Fritsch (Neubiberg, F.R.G.), A. Schulte, J. Wohlfahrt, J. Schuster and E. Lüscher (Garching, F.R.G.)

Theoretical analysis of stress relaxation measurements by bend tests for $(Fe_{50}Ni_{50})_{1-x}B_x$ glasses: alloying effects on aging 347
J. M. Fiorani, F. A. Kuhnast, J. Hertz and Ch. Cunat (Vandoeuvre-lès-Nancy, France)

Instability and relaxation of electrodeposited $Ni_{75}P_{25}$ amorphous alloys: experimental aspects quantitative theoretical predictions of isothermal and anisothermal aging using the cunat non-linear relaxation distribution model 359
M. Bouroukba, F. A. Kuhnast, J. Hertz and Ch. Cunat (Vandoeuvre-lès-Nancy, France)

Effect of structural relaxation on the thermodynamic properties of amorphous superconducting ZrCu alloys 367
F. Zougmoré, J. C. Lasjaunias and O. Béthoux (Grenoble, France)

Kinetic analysis of structural relaxation of Fe–Ni based amorphous alloys by means of DSC and electrical resistivity measurements. 375
P. Allia, M. Baricco, G. Riontino and F. Vinai (Torino, Italy)

On the penetration and solution of hydrogen in amorphous $Pd_{80}Ge_{20}$ and $Pd_{80}Si_{20}$ before and after crystallization. 383
G. Jorge, R. Durand, R. Faure and R. Yavari (Saint Martin d'Hères, France)

6. QUASI-CRYSTALS

Structural relationships between the quasi-crystalline and the amorphous state in alloys* 395
K. Urban (Jülich, F.R.G.), M. Bauer (Stuttgart, F.R.G.) and J. Mayer (Santa Barbara, CA, U.S.A.)

Stability and thermodynamics of the icosahedral phase in rapidly solidified Al–Mn alloys ([Mn] = 6 - 20 at.%) 411
M. Harmelin and K. Yu-Zhang (Vitry sur Seine, France)

*Invited paper.

Quasi-crystalline and amorphous phases as products of the rapid solidification of $Al_{80-x}Mn_{20}Si_x$ alloys. 421
C. Antonione and L. Battezzati (Torino, Italy) and F. Marino (Trento, Italy)

Formation by ion mixing of AlMn thin films in amorphous and quasi-crystalline phases: comparison of their electronic structure as determined by optical measurements 429
J. Rivory, A. Perez, M. G. Blanchin, J. C. Plenet and J. P. Dupin (Villeurbanne), J. M. Frigerio and A. Meddour (Paris, France)

Thermal stability and phason strain relaxation in Al–Mn quasi-crystals 437
W. de Ceuninck, L. de Schepper, H. Stulens, G. Knuyt and L. M. Stals (Diepenbeek, Belgium)

Morphology of icosahedral Al–Fe phase produced by ion beam mixing 445
B. Rauschenbach and V. Heera (Dresden, G.D.R.)

7. ION BEAM MODIFICATION OF MATERIALS

Alloy phase diagrams and energy depositions: something old and something new* 451
A. Traverse (Orsay, France)

Cascade effect on relative stability of ordered phases in Ni_4Mo under irradiation . . . 465
P. Bellon and G. Martin (Vitry, France)

Structure of TiB_2 produced by dynamic ion mixing 477
J. P. Riviere, Ph. Guesdon, J. Delafond and M. F. Denanot (Poitiers, France)

Thermal stability of a supersaturated solution of hafnium in aluminium. 487
D. O. Boerma, P. J. M. Smulders, K. G. Prasad, M. M. Cruz, R. M. C. da Silva and F. Pleiter (Groningen, The Netherlands)

Field ion microscopy and atom probing of ion-irradiated alloys 497
B. Kell, R. Lang, W. Wanger and H. Wollenberger (Berlin, F.R.G.)

Ion beam mixing of amorphous chromium nitride/molybdenum nitride and polycrystalline Cr/Mo bilayers 505
M. Thuillard, T. W. Workman, E. Kolawa and M.-A. Nicolet (Pasadena, CA, U.S.A.)

Ion beam mixing effects in krypton-irradiated Fe–Pd bilayers 513
G. Battaglin, S. Lo Russo, R. Bertoncello and G. Granozzi (Padova, Italy), G. Fagherazzi (Venezia, Italy) and P. Mengucci (Ancona, Italy)

Ion-beam-induced atomic mixing of the metallic system Ti/Ni 521
R. J. Gaboriaud and J. Delage (Poitiers, France) and F. Abel (Paris, France)

8. ELECTRONIC PROPERTIES AND ATOMIC STRUCTURE

Interplay of the atomic and electronic structure in liquid and amorphous metals and alloys*. 531
J. Hafner, M. Tegze and W. Jank (Wien, Austria)

Composition dependence of electrical and magnetic properties of Ni–Ag thin films 547
C. Vautier (Mont-Saint-Aignan, France)

Extended X-ray absorption fine structure studies of nanocrystalline materials exhibiting a new solid state structure with randomly arranged atoms. 557
T. Haubold, R. Birringer and H. Gleiter (Saarbrücken, F.R.G.) and B. Lengeler (Jülich, F.R.G.)

---

*Invited paper.

Magnetic properties of quasi-crystalline, amorphous and crystalline AlMn(Si) alloys 565
C. Berger, K. Hasselbach, J. C. Lasjaunias, C. Paulsen and P. Germi (Grenoble, France)

The microstructure of amorphous and microcrystalline electrodeposited Ni–P alloys 573
G. Dietz, T. Laska, H. D. Schneider and F. Stein (Köln, F.R.G.)

Effect of metalloids on the passivity of amorphous Fe–Cr alloys 581
S. Virtanen, B. Elsener and H. Böhni (Zurich, Switzerland)

Microcrystalline surface layers created by laser alloying 595
C. Rieker, D. G. Morris and M. A. Morris (Neuchâtel, Switzerland)

9. MAGNETIC SYSTEMS

Metastable ferromagnetic materials for permanent magnets* 601
K. H. J. Buschow, D. B. de Mooij and R. Coehoorn (Eindhoven, The Netherlands)

Preparation and magnetic studies in amorphous Tb_x–Fe_{1-x}/Al_2O_3 multilayers 613
R. Krishnan, M. Porte and M. Tessier (Meudon, France), J. P. Vitton and Y. le Cars (Chalon-sur-Saône, France)

Structure and magnetism of metastable Bi–Fe alloy films 621
F. Z. Cui, A. M. Vredenberg, R. de Reus and F. W. Saris (Amsterdam, The Netherlands) and H. J. G. Draaisma (Eindhoven, The Netherlands)

AUTHOR INDEX 629

SUBJECT INDEX 631

*Invited paper.